

CLEANSLATE RTU disinfectant cleaner

VITEX



EPA Registration Number 1839-83
TECHNICAL BULLETIN

COLORS OF CLEAN is our line of housekeeping products designed to be easy to use, efficient and safe. From state-of-the-art dispensing solutions to clear, simple color-named packaging, we've created fusion products in ways that make housekeeping a pleasure.

RTU Disinfectant Cleaner *Vitex* is designed specifically as a general ready-to-use cleaner and disinfectant for use on hard, non-porous surfaces in healthcare facilities, office buildings, restaurants, commercial kitchens, hotels, schools and all locations where housekeeping is of prime importance in controlling the hazard of cross contamination.

Features

- RTU Disinfectant Cleaner's ability to disinfect, deodorize and clean hard surfaces while at the same time sanitize and deodorize soft surfaces makes it ideally suited to be a most effective cleaner for all rooms in healthcare facilities and nursing homes.
- Powerful RTU bactericide – see attached for impressive list of bacteria and viruses RTU Disinfectant Cleaner is effective against, including:
SARS Cov-2 (Covid-19) in 60 seconds!
Tuberculocidal in 5 minutes!
- Robust cleaner and degreaser yet safe to use on all surfaces.
- Excellent cleaner that leaves behind an uplifting lemony scent.



Optimal Applications All hard surfaces, sofas, mattresses, rugs, chairs, drapes, shades, headrests, transport vehicles, bathrooms, laboratories, emergency rooms, doctors' offices.

Ideal for Hospitals and healthcare facilities, gyms, transportation terminals, hotels, buildings and schools.

Product Specifications

Physical Description	Clear liquid
Viscosity	Water thin
Color	Yellow
Flashpoint	None
Fragrance	Lemony
Weight per Gallon	8.38 lb / gal
pH	11.0 – 12.0
Storage Stability	1 year minimum
D.O.T. Shipping label	None

CLEANSLATE RTU disinfectant cleaner

VITEX



EPA Registration Number 1839-83
TECHNICAL BULLETIN

Organism List

DISINFECTION, DEODORIZING AND CLEANING: Remove visible soil prior to the application of this product. Hold container six to eight inches from surface to be treated. Spray area until it is covered with solution. Allow the surface to remain wet for 3 minutes. No scrubbing is necessary. Wipe off dry with a clean cloth or allow to air dry. The product will not leave grit or soap scum. When using on food contact surfaces: counter tops, stovetops, highchairs, kitchen appliance, thoroughly rinse all treated areas with potable water. This product is not to be used to clean eating utensils, glassware and dishes.

BACTERICIDAL ACTIVITY: When used as directed, this product is an effective disinfectant against the following organisms on hard, non-porous inanimate surfaces: *Pseudomonas aeruginosa* (ATCC 15442), *Staphylococcus aureus* (ATCC 6538), *Salmonella (choleraesuis) enterica* (ATCC 10708), *Escherichia coli* (ATCC 11229), *Escherichia coli* O157:H7 (ATCC 43895), *Streptococcus pyogenes* (Necrotizing Fasciitis-Group A) (V.A. Medical Center Isolate 04001), *Listeria monocytogenes* (ATCC 35152), *Yersinia enterocolitica* (ATCC 23715), *Enterococcus faecium* (ATCC 6569), *Corynebacterium ammoniagenes* (ATCC 6871), *Salmonella (typhi) enterica* (ATCC 6539), Methicillin resistant *Staphylococcus aureus* (MRSA) (ATCC 33593), Vancomycin resistant *Enterococcus faecalis* (VRE) (ATCC 51575), Vancomycin intermediate resistant *Staphylococcus aureus* (VISA) (CDC Isolate 99287), Methicillin resistant *Staphylococcus epidermidis* (MRSE) (ATCC 51625), Community Associated Methicillin resistant *Staphylococcus aureus* (CA-MRSA) Genotypes USA400 (NRS 123) and USA300 (NRS 384).

TUBERCULOCIDAL ACTIVITY: This product is an effective disinfectant against *Mycobacterium tuberculosis* BCG at 20 degrees Centigrade (20°C) when treated surface is allowed to remain wet for 5 minutes.

***VIRUCIDAL ACTIVITY:** When used as directed, this product is an effective virucide against the following organisms on hard, non-porous inanimate surfaces: Canine Parvovirus (ATCC VR-2017), Hepatitis A Virus (University of Ottawa) and Poliovirus Type 1 (ATCC VR-1000) when the treated surface is allowed to remain wet for 10 minutes; Human Coronavirus (ATCC VR-740), SARS associated Coronavirus (ZeptoMetrix), Avian Influenza A strain H3N2 (ATCC VR-2072) and Avian Influenza A strain H9N2 (Charles River laboratories) for 2 minutes; Paramyxovirus (Mumps) (ATCC VR-1438), Rhinovirus type 39 (ATCC VR-340) and Rotavirus (University of Ottawa) for 3 minutes; HIV-1 (associated with AIDS) (Advanced Biotechnologies, Inc.) and **SARS-Related Coronavirus 2 (SARS-CoV-2) (USA-WA1/2020 BEI NR-52281) for 1 minute (60 second)**; Hepatitis B Virus (HBV) (Hepadnavirus Testing, Inc.), Hepatitis C Virus (HCV) and Bovine Viral Diarrhea Virus (BVDV) (NVSL) for 1 minute; and Norovirus (Norwalk virus), Feline Calicivirus (University of Ottawa) and Rabies Virus (CDC) for 30 seconds.