

## Safety Data Sheet

#### delta action

Page: 1 of 3

01

Chemical Product and Company Identification Product Name Delta Action

Product Use Heavy Duty Cleaner/Degreaser

Product Code 3300

For Medical Emergency Call 'Chemtrec' 1-800-424-9300

**Supplier's Information** Santec Inc.

1420 East Linden Avenue, Linden NJ 07036

O2 Hazards
Identification

GHS Classification:

1. Skin - Category 2

2. Eyes - Category 2A

**GHS Label Element:** 

Signal Word: Warning

Hazarad Statement: May cause skin irritation.

Precautionary Statement: Wear protective gloves,

splash goggles, face shield, boots. Wash thoroughly after handling.

**Acute Effects** 

Eyes: Eye irritant. May cause redness or swelling.

**Skin:** Slight skin irritant.

**Inhalation:** No known acute effets resulting from inhalation.

Ingestion: May be irritating to the mouth, throat and gastrointestinal system. Symptoms may include nausea,

vomiting, diarrhea and cramps.

**Chronic Effects** 

Carcinogenicity: No known critical effets or citical hazards.

Product /Ingredient Name: Not available.

03

Composition/ Information on Ingredients Name of Hazardous IngredientsCAS No.WT.%Ethylene Glycol Monobutyl Ether111-76-22-4Sodium Hydroxide1310-73-21-2Silicic Acid, Sodium Salt1344-09-81-3Nonylphenol Ethoxylate127087-87-01-3

04

First Aid Measures **Eye Contact:** Check for and remove any contact lenses. Flush with large quantities of water, holding eyelids open for 15 minutes. Seek medical attention if symptoms persist.

**Skin Contact:** Wash skin with copious amounts of water. If symptoms persist seek medical attention.

**Inhalation:** Remove to fresh air. Seek medical attention if irritation persists.

Ingestion: Do not induce vomiting. Drink copius amounts of water. Seek medical attention immediately.

05

Fire Fighting Measures Suitable Fire Extinguishing Media: Use water spray, fog or foam

**Specific Hazards Arising from the Chemical:** In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous Thermal Decomposition Products: No Specific Data

**Specific Fire-Fighting Methods:** Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. **Specific Protective Equipment for Fire-Fighters:** Fire-Fighters should wear appropriate protective equipment and self contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

06

Accidental Release Measures **Spill Clean Up:** Put on appropriate personal protective equipment (see section 8). Stop leak if without risk. Move Containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

santec, inc. 1420 East Linden Ave, Linden NJ 07036 T 908-912-2500 F 908-374-7149 info@cleanneeds.com



### Safety Data Sheet

#### delta action

Page: 2 of 3

07

Handling and Storage

**Handling:** Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container. Wash thoroughly after handling.

**Storage:** Store between the following temperatures: 4.44 to 48.9°C (40 to 120°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

08

Exposure Controls/ Personal Protection **Ingredient Name** 

**Exposure Limits** 

Ethylene Glycol Monobutyl Ether Sodium Hydroxide

OSHA PEL 50 ppm OSHA PEL 0.5 ppm

#### Personal Protective Equipment (PPE)

Eyes: Safety glasses.

Body: For prolonged or repeated handling, use gloves. Nitrile gloves. Rubber gloves. Neoprene gloves.

Respiratory: Use with adequate ventilation. A respirator is not needed under normal and intended conditions of

product use.

09

Physical and Chemical Properties

**Physical State** Clear liquid Color Bluish Green Odor Lemon рΗ 12.0-12.5 Flash point >190°F **Explosion limits** Not available Not available Flammability (solid, gas) Not available **Melting point** Not available **Boiling point** Evaporation rate (butyl acetate = 1) Not available Vapor pressure Not available Vapor density Not available Relative density 1.02 (Water = 1)

**Solubility** Easily soluble in the following materials: cold water and hot water

Partition coefficient n-octano/water
Auto-ignition temperature
Decompostion temperature
Odor threshold
Not available
Not available
Not available

Viscosity Kinematic (room temperature): ≤10 cSt (CPS)

10

Stability and Reactivity

**Stability:** The product is stable.

**Possibilty of hazardous reactions:** Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid: No specific data.

Materials to avoid: Strong oxidizers, strong acids.

**Hazardous decomposition products:** Under normal conditions of storage and use, hazardous decomposition should not be produced.



# Safety Data Sheet delta action

Page: 3 of 3

Reactivity

oxicological Iformation	Product /Ingredient Name Ethylene Glycol Monobutyl Ether Sodium Hydroxide Silicic Acid, Sodium Salt Nonylphenol Ethoxylate	Result LD50 Oral LD50 Oral LD50 Oral LD50 Oral	Species Rat Rat Rat Rat	<b>Dose</b> 1746 mg/kg 960-3980 mg/kg 1960 mg/kg 2500 mg/kg	9
cological Iformation	N/A				
isposal onsiderations	Waste Information Waste must be disposed of in a Consult your local or regional aut			ocal environmental co	ontrol regulations.
Fransport nformation	Regulatory Information  DOT Classification	<b>UN Number</b> not regulated	Proper Shippin	g Name Classe	s PG* Label
	<b>Note:</b> DOT classification applies to most package sizes. For specific container size classifications or size exceptions, refer to the bill of lading with your shipment. <b>PG*:</b> Packing Group				
 Regulatory nformation	U.S. Federal Regulations TSCA 8(b) inventory: All components are listed or exempted. SARA 302/304/311/312 extremely hazardous substances: No listed substance SARA 302/304 emergency planning and notification: No listed substance				
	SARA 313 Form R-Reporting requirements	Product nar No listed subs		umber Co	oncentration
Other Information	To the best of our knowledge, the above named supplier nor any of it of completeness of the informatio	ts subsidiaries assu	mes any liability wh		

\*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimum hazards or risks, and 4 representing significant hazards or risks. Although these ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.

Final determination of suitability of any material is the sole responsibility of the user. All materials

may present unknown hazards and should be used with caution. Although certain hazards are

described herein, we cannot guarantee that these are the only hazards that exist.

Date of Issue: 06/20/2016