

st
santec
 clean needs. met.™

shieldTM
 laundry softener /sanitizer

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO

FIRST AID: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Shield Laundry Softener /Sanitizer is a concentrated formulation designed for use in commercial and institutional laundry operations by addition to the final rinse cycle. The residual self-sanitizing activity reduces the number of odor causing bacteria from wet contamination.

ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈)	
dimethyl benzyl ammonium chlorides.....	3.25%
n-Alkyl (68% C ₁₂ , 32 % C ₁₄)	
dimethyl ethylbenzyl ammonium chlorides.....	3.25%
INERT INGREDIENTS.....	93.50%
TOTAL.....	100.00%

EPA Reg. No. 1839-108-84179 EPA Est No. 84179-NJ-1
 Santec Inc. 1420 East Linden Ave, Linden NJ 07036

net contents: 5 Gallons (18.9 L)



Fabric Softener Concentrate, Residual Bacteriostatic and Residual Self-Sanitizer under conditions of high humidity or wet contamination for prevention of odors.

DIRECTIONS FOR USE It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Residual self-sanitizing level of bacterial control- Add 5 fluid ounces of Shield Laundry Softener /Sanitizer per 100 lbs. of dry laundry to the final rinse cycle water. At this rate, this product provides, to the fabric, a residual self-sanitizing activity against odor-causing Gram positive and Gram negative organisms under conditions of high relative humidity or wet contamination.

Residual bacteriostatic level of bacterial control- Add 20 fluid ounces of Shield Laundry Softener /Sanitizer per 100 lbs. of dry laundry to the final rinse cycle water. At this rate, this product provides, to the fabric, a residual bacteriostatic activity against odor-causing Gram positive and Gram negative organisms under conditions of high relative humidity or wet contamination.

This product inhibits the growth of organisms which act on urine to produce ammonia in diapers and wet bed linens. It also softens clothes, thereby eliminating chafing and "static cling" from nylons and other synthetic fabrics. The use of Shield Laundry Softener /Sanitizer will also help improve ironing time.

PRECAUTIONARY STATEMENTS

Hazards To Humans And Domestic Animals

Danger. Keep Out Of Reach Of Children. Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves and protective clothing. Harmful if swallowed or absorbed through skin. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

STORAGE AND DISPOSAL

Do Not Contaminate Water, Food, Or Feed By Storage Or Disposal.

Pesticide Storage- Store in a dry place no lower in temperature than 50°F or higher than 120°F. Store in an area inaccessible to children.

Container Disposal- Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container promptly after emptying. Triple rinse as follows: Fill container ¼ full with water and recap. Agitate vigorously. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat procedure two more times. Then offer for recycling or reconditioning. If not available, puncture and dispose in a sanitary landfill. **Pesticide Disposal-** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other wastes unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.